BIOL 107 Exam 4 and Final

The questions on exam #4 will come from either The Biology Place or the Campbell CD ROM (the same questions are available on the Campbell web site). [Hint: more questions will come from Campbell]

75% of the questions on the cumulative final will come from the first three exams and the last quarter will be based on the material since Exam #3 (similar questions to Exam #4 but not identical).

The following are sample questions from the Campbell CD ROM to help you prepare for Exam #4. Some, but not all, will be on the exam.

1. Every time you eat a cookie or candy bar, your blood sugar increases. This triggers an increase in the hormone

- a. thyroxin.
- b. epinephrine.
- c. adrenocorticotropin (ACTH).
- d. glucagon.
- e. insulin.

1. Every time you eat a cookie or candy bar, your blood sugar increases. This triggers an increase in the hormone

- a. thyroxin.
- b. epinephrine.
- c. adrenocorticotropin (ACTH).
- d. glucagon.
- <u>e. insulin</u>.

1. Every time you eat a cookie or candy bar, your blood sugar increases. This triggers an increase in the hormone

- a. thyroxin.
- b. epinephrine.
- c. adrenocorticotropin (ACTH).
- d. glucagon.

<u>e. insulin</u>.

2. As a young girl, Maria suffered a head injury that damaged her pituitary. An injury to the pituitary is particularly serious because of all the functions controlled by this gland. As Maria got older, she and her doctors found that all of the following except _____ were affected.

- a. metabolic rate
- b. growth
- c. her menstrual cycle
- d. milk production
- e. blood sugar level

1. Every time you eat a cookie or candy bar, your blood sugar increases. This triggers an increase in the hormone

- a. thyroxin.
- b. epinephrine.
- c. adrenocorticotropin (ACTH).
- d. glucagon.
- <u>e. insulin</u>.

2. As a young girl, Maria suffered a head injury that damaged her pituitary. An injury to the pituitary is particularly serious because of all the functions controlled by this gland. As Maria got older, she and her doctors found that all of the following except _____ were affected.

- a. metabolic rate
- b. growth
- c. her menstrual cycle
- d. milk production
- e. blood sugar level

Chapter 46: Reproduction

1. On its way to fertilize a human egg, a sperm cell does not have to pass through which of the following?

- a. oviduct
- b. vagina
- c. ovary
- d. vas deferens
- e. cervix

Chapter 46: Reproduction

1. On its way to fertilize a human egg, a sperm cell does not have to pass through which of the following?

- a. oviduct
- b. vagina
- <u>c. ovary</u>
- d. vas deferens
- e. cervix

Chapter 46: Reproduction

1. On its way to fertilize a human egg, a sperm cell does not have to pass through which of the following?

- a. oviduct
- b. vagina
- <u>c. ovary</u>
- d. vas deferens
- e. cervix

2. Birth control pills contain synthetic estrogen and progesterone. How might these hormones prevent pregnancy?

- a. They trigger premature ovulation, before an egg is mature.
- b. They cause the lining of the uterus to be sloughed off.
- c. They cause the corpus luteum to degenerate.

d. They keep the pituitary from secreting FSH and LH, so ovulation does not occur.

e. They prevent monthly development of the uterine lining.

1. On its way to fertilize a human egg, a sperm cell does not have to pass through which of the following?

- a. oviduct
- b. vagina
- <u>c. ovary</u>
- d. vas deferens
- e. cervix

2. Birth control pills contain synthetic estrogen and progesterone. How might these hormones prevent pregnancy?

- a. They trigger premature ovulation, before an egg is mature.
- b. They cause the lining of the uterus to be sloughed off.
- c. They cause the corpus luteum to degenerate.

<u>d. They keep the pituitary from secreting FSH and LH, so ovulation</u> <u>does not occur</u>.

e. They prevent monthly development of the uterine lining.

1. Cells relocated from the dorsal lip of an amphibian embryo to an abnormal position result in the development of a second notochord at the graft location. This is an example of

- a. developmental potential.
- b. induction.
- c. pattern formation.
- d. positional information.
- e. polarity.

1. Cells relocated from the dorsal lip of an amphibian embryo to an abnormal position result in the development of a second notochord at the graft location. This is an example of

- a. developmental potential.
- b. induction.
- c. pattern formation.
- d. positional information.
- e. polarity.

1. Cells relocated from the dorsal lip of an amphibian embryo to an abnormal position result in the development of a second notochord at the graft location. This is an example of

- a. developmental potential.
- b. induction.
- c. pattern formation.
- d. positional information.
- e. polarity.

2. Which system begins to take shape first in a frog and other chordates?

- a. nervous system
- b. muscular system
- c. digestive system
- d. skeletal system
- e. circulatory system

1. Cells relocated from the dorsal lip of an amphibian embryo to an abnormal position result in the development of a second notochord at the graft location. This is an example of

- a. developmental potential.
- b. induction.
- c. pattern formation.
- d. positional information.
- e. polarity.

2. Which system begins to take shape first in a frog and other chordates?

- <u>a. nervous system</u>
- b. muscular system
- c. digestive system
- d. skeletal system
- e. circulatory system

1. A fish detects vibrations in the water around it by means of its lateral lines, rows of sensory receptors along each side of the body. Based on what you know about sensory receptors, the lateral line receptors are probably which of the following?

- a. hair cells
- b. rods
- c. chemoreceptors
- d. infrared receptors
- e. taste buds

1. A fish detects vibrations in the water around it by means of its lateral lines, rows of sensory receptors along each side of the body. Based on what you know about sensory receptors, the lateral line receptors are probably which of the following?

<u>a. hair cells</u>

b. rods

c. chemoreceptors

d. infrared receptors

e. taste buds

1. A fish detects vibrations in the water around it by means of its lateral lines, rows of sensory receptors along each side of the body. Based on what you know about sensory receptors, the lateral line receptors are probably which of the following?

<u>a. hair cells</u>

b. rods

- c. chemoreceptors
- d. infrared receptors
- e. taste buds
- 2. The brain determines the loudness of a sound from
 - a. the part of the organ of Corti stimulated by the sound.
 - b. the rate of nerve impulses received.
 - c. the size of air pressure changes in the middle ear.
 - d. the part of the brain receiving nerve impulses from the ear.
 - e. the size of the nerve impulses received.

1. A fish detects vibrations in the water around it by means of its lateral lines, rows of sensory receptors along each side of the body. Based on what you know about sensory receptors, the lateral line receptors are probably which of the following?

<u>a. hair cells</u>

b. rods

c. chemoreceptors

d. infrared receptors

e. taste buds

2. The brain determines the loudness of a sound from

a. the part of the organ of Corti stimulated by the sound.

b. the rate of nerve impulses received.

c. the size of air pressure changes in the middle ear.

d. the part of the brain receiving nerve impulses from the ear.

e. the size of the nerve impulses received.

1. Which of the following maintains resting potential--the difference in electrical charge inside and outside a neuron membrane that enables the cell to transmit a signal?

- a. charges that pull sodium and potassium through the membrane
- b. opening of sodium and potassium channels in the membrane.
- c. the myelin sheath, which prevents ions from entering or leaving.
- d. transport and leakage of sodium and potassium into and out of the cell
- e. the mutual repulsion of sodium and potassium ions

1. Which of the following maintains resting potential--the difference in electrical charge inside and outside a neuron membrane that enables the cell to transmit a signal?

a. charges that pull sodium and potassium through the membrane

b. opening of sodium and potassium channels in the membrane.

c. the myelin sheath, which prevents ions from entering or leaving.

d. transport and leakage of sodium and potassium into and out of the cell

e. the mutual repulsion of sodium and potassium ions

1. Which of the following maintains resting potential--the difference in electrical charge inside and outside a neuron membrane that enables the cell to transmit a signal?

a. charges that pull sodium and potassium through the membrane

b. opening of sodium and potassium channels in the membrane.

c. the myelin sheath, which prevents ions from entering or leaving.

d. transport and leakage of sodium and potassium into and out of the cell

e. the mutual repulsion of sodium and potassium ions

7. Bill could feel his left leg, but was unable to move it after his stroke. His neurologists suspected damage to the

a. right frontal lobe.

b. right parietal lobe.

c. left frontal lobe.

d. left parietal lobe.

e. cerebellum.

1. Which of the following maintains resting potential--the difference in electrical charge inside and outside a neuron membrane that enables the cell to transmit a signal?

a. charges that pull sodium and potassium through the membrane

b. opening of sodium and potassium channels in the membrane.

c. the myelin sheath, which prevents ions from entering or leaving.

d. transport and leakage of sodium and potassium into and out of the cell

e. the mutual repulsion of sodium and potassium ions

7. Bill could feel his left leg, but was unable to move it after his stroke. His neurologists suspected damage to the

<u>a. right frontal lobe</u>.

b. right parietal lobe.

c. left frontal lobe.

d. left parietal lobe.

e. cerebellum.